

SPAPPERI



BROCHURE NU41 PT

horticultural product range / conveying

SPAPPERI

CONVEYING SYSTEMS



Spapperi conveyors belt make harvesting field produce easier and more efficient by improving ergonomics.

Our solutions cater to a broad spectrum of needs, whether harvesting into bins or crates.

Custom-designed harvesting systems available on request.

Made in Italy - UE



A foldable conveyor belt designed for easier and efficient on field harvesting.


Adjustable end easy for operations and transportation, the machine is tractor-drawn during harvesting and tractor-carried during transportation.

Features adjustable ground clearance. Max flexibility and adaptability to every requirements.

NU0741 PT

REGULAR EQUIPMENT

- Independent hydraulic system, with pump unit, oil tank and PTO-driven pump
- Stainless steel (INOX) single folding main belt.
- Platform for manual crating/binning
- Hydraulic forks for unloading crates or bins
- Automatic Start/Stop of the belts using photocells



A SETUP / MODEL: Choose the configuration


B REQUIRED SPECIFICATIONS: Not available for model NU0741 PT

C ACCESSORIES: Add optional accessories during the ordering phase

A CHARACTERISTICS & REQUIREMENT - NU0741 PT (Accessories not included)

MODEL NU0741 PT

Number of main belts	1
Main belt lenght - cm	695
in	273
Main belt width - cm	40
in	15
Platform lenght - cm	175
in	157
Platform width - cm	400
in	157
Tractor power - Hp	130-140
Weight (without accessories) - Kg	1620



The NU741 PT model is characterized by a single 695x40 cm folding conveyor belt. Its first external fold operates manually with adjustable end stops, while the second fold is hydraulically powered. It includes a central 400x175 cm platform designed for manual filling of produce into crates or bins. Furthermore, this platform features integrated hydraulic forks to facilitate the unloading of filled crates or bins.

C ACCESSORIES AVAILABLE FOR NU0741 PT

Increased track width and height



track width kit up to 2126 mm and increased ground clearance up to 1660 mm

INCREASED TRACK WIDTH
AND HEIGHT KIT

Sprayers



Sprayers kit help to lubricate the produce with water to minimize the risk of damage caused by scratches.


WATER SPRAYING KIT (PUMP, PIPING & SPRAYERS)
(Tank not included)

A foldable conveyor belt designed for easier and efficient on field harvesting.

Adjustable end easy for operations and transportation, the machine is tractor-drawn during harvesting and tractor-carried during transportation.

Features adjustable ground clearance. Max flexibility and adaptability to every requirements.

NU0941 PT



REGULAR EQUIPMENT

- Independent hydraulic system, with pump unit, oil tank and PTO-driven pump
- Stainless steel (INOX) single folding main belt.
- Platform for manual crating/binning
- Hydraulic forks for unloading crates or bins
- Automatic Start/Stop of the belts using photocells



A SETUP / MODEL: Choose the configuration


B REQUIRED SPECIFICATIONS: Not available for model NU0941 PT

C ACCESSORIES: Add optional accessories during the ordering phase

A CHARACTERISTICS & REQUIREMENT - NU0941 PT (Accessories not included)

MODEL NU0941 PT

Number of main belts	1
Main belt lenght - cm	908
in	357
Main belt width - cm	40
in	15
Platform lenght - cm	175
in	68
Platform width - cm	400
in	157
Tractor power - Hp	130-140
Weight (without accessories) - Kg	1680



The NU941 PT model is characterized by a single 908x40 cm folding conveyor belt. Its first external fold operates manually with adjustable end stops, while the second fold is hydraulically powered. It includes a central 400x175 cm platform designed for manual filling of produce into crates or bins. Furthermore, this platform features integrated hydraulic forks to facilitate the unloading of filled crates or bins.

C ACCESSORIES AVAILAIB FOR NU0941 PT

Increased track width and height



track width kit up to 2126 mm and increased ground clearance up to 1660 mm

INCREASED TRACK WIDTH
AND HEIGHT KIT

Sprayers



Sprayers kit help to lubricate the produce with water to minimize the risk of damage caused by scratches.

WATER SPRAYING KIT (PUMP, PIPING & SPRAYERS)
(Tank not included)

INFORMATIONS

NOMENCLATURE

REGULAR EQUIPMENT: The basic equipment included with the machine, this does not include required specifications and accessories.

A - SETUP: The basic equipment includes: frame and conveyor system

B - REQUIRED SPECIFICATIONS: Equipment requested by the customer based on their specific needs, which are mandatory to complete the machine's basic functionality and finalize the order.

C - ACCESSORIES: Optional items requested by the customer according to their needs, which are not mandatory for the basic operation of the machine. These can be selected during the ordering process.

COLOR MACHINE



RED
RAL 3020



LIGHT GREY
RAL 7045



DARK GREY
RAL 7016



BLACK
RAL 9005

CHARACTERISTICS



**Fast
tuning**



**Long
resistance**



**Good
waterproof**



**Good thermal
insulation**

HS - CODE: COVENYOR BELT 84 28 90 71

PRODUCT LINK: spapperi.com/en/producs/conveying/nu41-pt

INFORMATIONS

Technical and commercial brochure for the horticultural product line – Conveying: the original Italian texts shall prevail over any foreign translation in the event of any doubts regarding interpretation.


Technical data, dimensions, and photos are provided for indicative purposes only and are not binding. Images marked as "AI generated" serve solely for illustrative/graphic purposes and do not constitute a warranty or binding specification.

SPAPPERI NT SRL reserves the right to make modifications, update, or discontinue models without prior notice. Obsolete items will be replaced with products of equal performance.

Contents and photos are the exclusive property of SPAPPERI; any reproduction, even partial, is strictly prohibited without prior authorization from Spapperi.

This brochure cancels and replaces all previous versions.

Edition: 01 September 2026



ORIGINAL EQUIPMENT MANUFACTURER

SPAPPERI

SPAPPERI NT S.r.l.

Via P. Ercolani, 5/b - 06012 San Secondo di Città di Castello (PG) Italy

Phone. +39 075 8578156 fax +39 075 8575548

www.spapperi.com - info@spapperi.com

