

SPAPPERI



BROCHURE SF1

horticultural product range / transplanting

SPAPPERI

TRANSPLANTING



Spapperi provides a variety of solutions for transplanting of horticultural crops.

We offer a wide range of machinery designed to meet diverse customer needs.


Setups and accessories are available for any requirement.

Custom-designed solutions are also available on request.

Made in Italy - UE



Mulching machine suitable for various types of mulching film, designed for application on both flat ground and small beds.



REGULAR EQUIPMENT - FRONT ROLL

- 2-tube fixed frame structure.
- Front-mounted fixed roller designed for soil compression.
- Parallelogram-equipped roller for pre-tensioning the mulch film.
- Rear rubber wheels secure the mulch film in place.



REGULAR EQUIPMENT - FRONT WHEELS

- 2-tube fixed frame.
- 2 tires with adjustable height.
- Parallelogram-equipped roller for pre-tensioning the mulch film.
- Rear rubber wheels secure the mulch film in place.

Only for perfectly level and slightly compacted soil

A SETUPS (Mandatory): Select the set up according to the mulch sheet width

B REQUIRED SPECIFICATIONS (Mandatory): Select the key configurations to complete the basic functionality.

C ACCESSORIES: If needed add any desired accessories.

A SF1 SETUPS: CHARACTERISTICS & REQUIREMENT

	ROW	1	
			
Frame width - cm	160	200	250
in	63	78	98
Hook - Cat	1°-2°	1°-2°	2°
Mulch sheet width (min-max) - cm	80-120	80-160	80-210
in	31-47	31-63	31-82
Tractor power - Hp	35-45	35-45	45-55
Weight (without accessories) - Kg	399-407	420-442	445-485

Max mulch sheet width

SF1 - 160 **LP** = 120 cm - 47 in

SF1 - 200 **LP** = 160 cm - 63 in

SF1 - 250 **LP** = 210 cm - 82 in



B REQUIRED SPECIFICATIONS FOR SF1 - (Mandatory choice)

Plowshares or Disks



UNDERMING AND HILLING
PLOWSHARES KIT



UNDERMING AND HILLING
DISKS KIT




ACCESSORIES AVAIALE FOR SF1

Irrigation: Dripline holder



SINGLE DRIPLINE ROLL
HOLDER KIT - SF/SFB

Ridging tool



The device shapes a 5-10 cm mini-bed while simultaneously laying the mulch film.

FRONTAL RIDGING TOOL
FOR SMALL BED - SF

Microgranulator



MICROGRANULATOR KIT
MECHANICAL TRASMISSION - SF/SFB



MICROGRANULATOR KIT FOR INTEGRATION
WITH ANY FERTILIZER SPREADER - SF/SFB

Insecticide dosing



Additional granular insecticide dispenser.

Useful for 2 or more transplanting rows.

ADDITIONAL SINGLE-PIPE DOSING KIT
FOR GRANUAL INSECTICIDE

Fertilizer spreader



FERTILIZER SPREADER
MECHANICAL WHEEL TRASMISSION

Description

FERTILIZER SPREADER MECHANICAL WHEEL TRASMISSION

Fertilizer spreader kit with iron steel box 105 L - mechanical wheel trasmission - 1 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - mechanical wheel trasmission - 2 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - mechanical wheel trasmission - 3 fertilizer dosing



FERTILIZER SPREADER
HYDRAULIC TRASMISSION

Description

FERTILIZER SPREADER HYDRAULIC TRASMISSION

Fertilizer spreader kit with iron steel box 105 L - hydraulic trasmission - 1 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - hydraulic trasmission - 2 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - hydraulic trasmission - 3 fertilizer dosing



FERTILIZER SPREADER
ELECTRICAL TRASMISSION

Description

FERTILIZER SPREADER ELECTRIC TRASMISSION

Fertilizer spreader kit with iron steel box 105 L - electric trasmission - 1 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - electric trasmission - 2 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - electric trasmission - 3 fertilizer dosing



ACCESSORIES AVIAIBLE FOR SF1

Row tracers



PAIR MANUAL ROW TRACERS
LENGHT 630-930 MM



PAIR HYDRAULIC ROW TRACERS
LENGHT 630-930 MM

Trasplanter attachment



REAR ATTACHMENT KIT FOR
TRASPLANTIG MACHINE

Allows you to connect the AS06 AT 1-row transplanter.

Wheel for drilling insert



KIT No.1 WHEEL FOR
DRILLING INSERTS



KIT No.2 WHEELS FOR
DRILLING INSERTS



KIT No.3 WHEELS FOR
DRILLING INSERTS

Drilling insert excluded

Adjustable in-row distance (min ÷ max)

cm in

25 ÷ 100 10 ÷ 40

Drilling insert



No.1 DRILLING INSERT
KIT FOR MULCHING

DRILLING INSERT	IN-PLANT	
	cm	in
No.		
1	220	86
2	110	43
3	73	29
4	55	21
5	44	17
6	36	14
8	27	11

Different in-plant spacing on request



INFORMATIONS

NOMENCLATURE

REGULAR EQUIPMENT: The basic equipment included with the machine, this does not include required specifications and accessories.

A - SETUP: The basic equipment includes: frame

B - REQUIRED SPECIFICATIONS: Equipment requested by the customer based on their specific needs, which are mandatory to complete the machine's basic functionality and finalize the order.

C - ACCESSORIES: Optional items requested by the customer according to their needs, which are not mandatory for the basic operation of the machine. These can be selected during the ordering process.

COLOR MACHINE



RED
RAL 3020



LIGHT GREY
RAL 7045



DARK GREY
RAL 7016



BLACK
RAL 9005

CHARACTERISTICS



**Fast
tuning**



**Long
resistance**



**Good
waterproof**



**Good thermal
insulation**

HS - CODE: MULCHING MACHINE 84 32 80 00

PRODUCT LINK: spapperi.com/en/products/mulch-layers/sf1-rt
spapperi.com/en/products/mulch-layers/sf1-rl

INFORMATIONS

Commercial and Technical Brochure - Horticulture Line – Transplanters: The original Italian texts shall prevail over any foreign translation in case of interpretation doubts.

Technical data, measurements, and photos are provided for indicative purposes and are non-binding. Images marked as 'AI generated' are for illustrative/graphic purposes only and do not constitute a warranty or binding specification.

SPAPPERI N.T. s.r.l. reserves the right to make modifications, updates, or discontinue models without notice. Obsolete items will be replaced with products of equivalent performance.

Contents and photos are the exclusive property of SPAPPERI N.T. s.r.l. any reproduction, even partial, is prohibited without prior authorization from Spapperi N.T.

This brochure cancels and replaces all previous versions.

Edition: 01 September 2026

SOCIAL MEDIA HUB



YouTube

SCAN



www.youtube.com/@spapperint

**Subscribe to the channel
and don't miss a new video.**



Instagram

SCAN



www.instagram.com/spapperintsrl

**Follow us now
to stay connected.**



facebook

SCAN



www.facebook.com/spapperintsrl

**Follow our page
and join our community.**



LinkedIn

SCAN



www.linkedin.com/company/spapperi-n-t-s-r-l

**Follow our company page
for industry insights.**



ORIGINAL EQUIPMENT MANUFACTURER

SPAPPERI

SPAPPERI NT S.r.l.

Via P. Ercolani, 5/b - 06012 San Secondo di Città di Castello (PG) Italy
tel. +39 075 8578156 fax +39 075 8575548

www.spapperi.com - info@spapperi.com

