

SPAPPERI



BROCHURE SFB

horticultural product range / transplanting

SPAPPERI

TRANSPLANTING



Spapperi provides a variety of solutions for transplanting of horticultural crops.

We offer a wide range of machinery designed to meet diverse customer needs.


Setups and accessories are available for any requirement.

Custom-designed solutions are also available on request.

Made in Italy - UE



Machine for passive for bed maker combined with mulching, usable with different types of sheet, maximum ridge height 30 cm.



REGULAR EQUIPMENT

- Fixed frame width 200 cm with adjustable support wheels
- Fixed front roller in stainless steel for soil compression
- Parallelogram-equipped roller for pre-tensioning the mulch film.
- Rear rubber wheels secure the mulch film in place.

- A

SETUPS (Mandatory): Select the setup
- B

REQUIRED SPECIFICATIONS (Mandatory): Select the key configurations to complete the basic functionality.
- C


ACCESSORIES: If needed add any desired accessories.

A

SFB SETUP: CHARACTERISTICS & REQUIREMENTS

ROW	1
Frame width - cm	200
in	78
Hook - Cat	1°-2°
Ridge height (min-max) - cm	10-30
in	4-12
Mulch sheet width (min-max) - cm	80-160
in	31-63
Tractor power - Hp	45-55
Weight (without accessories) - Kg	673

Max mulch sheet width
SFB - 200 **LP** = 160 cm - 63 in



B

REQUIRED SPECIFICATIONS FOR SFB - (Mandatory choice)

Plowshares or Disks - 1 X M



UNDERMING AND HILLING
PLOWSHARES KIT



UNDERMING AND HILLING
DISKS KIT



ACCESSORIES AVAIABLE FOR SFB

Irrigation: Dripline holder



SINGLE DRIPLINE ROLL
HOLDER KIT - SF/SFB

Microgranulator



MICROGRANULATOR KIT
MECHANICAL TRASMISSION - SF/SFB



MICROGRANULATOR KIT FOR INTEGRATION
WITH ANY FERTILIZER SPREADER - SF/SFB

Insecticide dosing



ADDITIONAL SINGLE-PIPE DOSING KIT
FOR GRANUAL INSECTICIDE

Additional granular insecticide
dispenser.

Useful for 2 or more transplanting
rows.

Fertilizer spreader



FERTILIZER SPREADER
MECHANICAL WHEEL TRASMISSION

Description

FERTILIZER SPREADER MECHANICAL WHEEL TRASMISSION

Fertilizer spreader kit with iron steel box 105 L - mechanical wheel trasmission - 1 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - mechanical wheel trasmission - 2 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - mechanical wheel trasmission - 3 fertilizer dosing



FERTILIZER SPREADER
HYDRAULIC TRASMISSION

Description

FERTILIZER SPREADER HYDRAULIC TRASMISSION

Fertilizer spreader kit with iron steel box 105 L - hydraulic trasmission - 1 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - hydraulic trasmission - 2 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - hydraulic trasmission - 3 fertilizer dosing



FERTILIZER SPREADER
ELECTRICAL TRASMISSION


Description

FERTILIZER SPREADER ELECTRIC TRASMISSION

Fertilizer spreader kit with iron steel box 105 L - electric trasmission - 1 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - electric trasmission - 2 fertilizer dosing

Fertilizer spreader kit with iron steel box 105 L - electric trasmission - 3 fertilizer dosing



ACCESSORIES AVAIABLE FOR SFB

Row tracers



PAIR MANUAL ROW TRACERS
LENGHT 630-930 MM



PAIR HYDRAULIC ROW TRACERS
LENGHT 630-930 MM

Wheel for drilling insert



KIT No.1 WHEEL FOR
DRILLING INSERTS



KIT No.2 WHEELS FOR
DRILLING INSERTS



KIT No.3 WHEELS FOR
DRILLING INSERTS

Dibber insert excluded

Adjustable in-row distance (min ÷ max)

cm	in
25 ÷ 100	10 ÷ 40


Dibber insert



KIT No.1 DIBBER INSERT
FOR MULCHING

DIBBER INSERT No.	IN-PLANT	
	cm	in
1	220	86
2	110	43
3	73	29
4	55	21
5	44	17
6	36	14
8	27	11

Different in-plant spacing on request



INFORMATIONS

NOMENCLATURE

REGULAR EQUIPMENT: The basic equipment included with the machine, this does not include required specifications and accessories.

A - SETUP: The basic equipment includes: frame

B - REQUIRED SPECIFICATIONS: Equipment requested by the customer based on their specific needs, which are mandatory to complete the machine's basic functionality and finalize the order.

C - ACCESSORIES: Optional items requested by the customer according to their needs, which are not mandatory for the basic operation of the machine. These can be selected during the ordering process.

COLOR MACHINE



RED
RAL 3020



LIGHT GREY
RAL 7045



DARK GREY
RAL 7016



BLACK
RAL 9005

CHARACTERISTICS



**Fast
tuning**



**Long
resistance**



**Good
waterproof**



**Good thermal
insulation**

HS - CODE: TRASPLANTING MACHINE 84 32 39 90

PRODUCT LINK: spapperi.com/en/products/mulch-layers/sfb

INFORMATIONS

Commercial and Technical Brochure - Horticulture Line – Transplanters: The original Italian texts shall prevail over any foreign translation in case of interpretation doubts.

Technical data, measurements, and photos are provided for indicative purposes and are non-binding. Images marked as 'AI generated' are for illustrative/graphic purposes only and do not constitute a warranty or binding specification.

SPAPPERI N.T. s.r.l. reserves the right to make modifications, updates, or discontinue models without notice. Obsolete items will be replaced with products of equivalent performance.

Contents and photos are the exclusive property of SPAPPERI N.T. s.r.l. any reproduction, even partial, is prohibited without prior authorization from Spapperi N.T.

This brochure cancels and replaces all previous versions.

Edition: 01 September 2026

SOCIAL MEDIA HUB



YouTube

SCAN



www.youtube.com/@spapperint

Subscribe to the channel
and don't miss a new video.



Instagram

SCAN



www.instagram.com/spapperintsrl

Follow us now
to stay connected.



facebook

SCAN



www.facebook.com/spapperintsrl

Follow our page
and join our community.



LinkedIn

SCAN



www.linkedin.com/company/spapperi-n-t-s-r-l

Follow our company page
for industry insights.



ORIGINAL EQUIPMENT MANUFACTURER

SPAPPERI

SPAPPERI NT S.r.l.

Via P. Ercolani, 5/b - 06012 San Secondo di Città di Castello (PG) Italy
tel. +39 075 8578156 fax +39 075 8575548

www.spapperi.com - info@spapperi.com

